

## SAFETY DATA SHEET

Corteva Agriscience UK Limited

Safety Data Sheet according to Reg. (EU) No 2015/830

Product name: BELKAR Revision Date: 22.07.2021

Version: 1.3

Date of last issue: 10.12.2020

Print Date: 22.07.2021

Corteva Agriscience UK Limited encourages you and expects you to read and understand the entire SDS as there is important information throughout the document. This SDS provides users with information relating to the protection of human health and safety at the workplace, protection of the environment and supports emergency response. Product users and applicators should primarily refer to the product label attached to or accompanying the product container.

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier Product name: BELKAR

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Plant Protection Product Herbicide

1.3 Details of the supplier of the safety data sheet COMPANY IDENTIFICATION

Corteva Agriscience UK Limited CPC2 CAPITAL PARK FULBOURN CAMBRIDGE - England - CB21 5XE

**UNITED KINGDOM** 

Customer Information Number : +44 8006 89 8899 E-mail address : SDS@corteva.com

1.4 EMERGENCY TELEPHONE

**24-Hour Emergency Contact** : +353 76 680 5288 **Local Emergency Contact** : +353 76 680 5288

National Poisons Information Centre (Beaumont Hospital): 01 809 2166 (8 AM - 10 PM):

#### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008:

Eye irritation - Category 2 - H319

Specific target organ toxicity - single exposure - Category 3 - Inhalation - H335

Short-term (acute) aquatic hazard - Category 1 - H400

Long-term (chronic) aquatic hazard - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Version: 1.3

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008:

#### **Hazard pictograms**





## Signal Word: WARNING

## **Hazard statements**

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H410 Very toxic to aquatic life with long lasting effects.

## **Precautionary statements**

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

+ P338 if present and easy to do. Continue rinsing.

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site

except for empty clean triple rinsed containers which can be disposed of as non-

hazardous waste.

## Supplemental information

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use

#### 2.3 Other hazards

No data available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2 Mixtures

This product is a mixture.

CASRN / EC-No. /	REACH Registration	Concentration	Component	Classification: REGULATION (EC) No
Index-No.	Number			1272/2008

Version: 1.3

CASRN 1918-02-1 EC-No. 217-636-1 Index-No.	-	5.1%	Picloram	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN 943831-98-9 EC-No. Not available Index-No.	-	1.06%	Halauxifen-methyl	Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
CASRN Not available EC-No. 909-125-3 Index-No.	01-2119974115-37	>= 40.0 - < 50.0 %	Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide	Skin Irrit 2 - H315 Eye Dam 1 - H318 STOT SE - 3 - H335
CASRN 84961-74-0 EC-No. 284-664-9 Index-No.	01-2119985163-33	>= 3.0 - < 10.0 %	Benzenesulfonic acid, 4-C10-13-sec- alkyl derivs., compds. with 2- propanamine	Skin Irrit 2 - H315 Eye Irrit 2 - H319 Aquatic Chronic - 3 - H412
CASRN 34590-94-8 EC-No. 252-104-2 Index-No.	-	>= 3.0 - < 10.0 %	Dipropylene glycol monomethyl ether	Not classified

For the full text of the H-Statements mentioned in this Section, see Section 16.

## **SECTION 4: FIRST AID MEASURES**

## 4.1 Description of first aid measures General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

**Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Suitable emergency safety shower facility should be available in work area.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice. Suitable emergency eye wash facility should be available in work area.

**Ingestion:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

#### 4.2 Most important symptoms and effects, both acute and delayed:

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

#### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Maintain adequate ventilation and oxygenation of the patient. No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

#### **SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. General purpose synthetic foams (including AFFF type) or protein foams are preferred if available. Alcohol resistant foams (ATC type) may function.

Unsuitable extinguishing media: Do not use direct water stream. May spread fire.

## 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Hydrogen fluoride. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Violent steam generation or eruption may occur upon application of direct water stream to hot liquids.

#### 5.3 Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Consider feasibility of a controlled burn to minimize environment damage. Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Do not use direct water stream. May spread fire. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full

chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

- **6.1 Personal precautions, protective equipment and emergency procedures:** Isolate area. Keep unnecessary and unprotected personnel from entering the area. Refer to section 7, Handling, for additional precautionary measures. Keep upwind of spill. Ventilate area of leak or spill. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.
- **6.2 Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. Spills or discharge to natural waterways is likely to kill aquatic organisms.
- **6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact the company for clean-up assistance. See Section 13, Disposal Considerations, for additional information.
- **6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

#### **SECTION 7: HANDLING AND STORAGE**

- **7.1 Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container closed. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.
- **7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.
- **7.3 Specific end use(s):** Refer to product label.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Component	Regulation	Type of listing	Value/Notation
Dipropylene glycol	ACGIH	TWA	100 ppm
monomethyl ether			
	ACGIH	TWA	SKIN
	ACGIH	STEL	150 ppm
	ACGIH	STEL	SKIN
	Dow IHG	TWA	10 ppm
	Dow IHG	TWA	SKIN
	Dow IHG	STEL	30 ppm

Dow IHG STEL SKIN 2000/39/EC 308 mg/m3 50 ppm TWA 2000/39/EC TWA SKIN 308 mg/m3 50 ppm IE OEL OELV - 8 hrs (TWA) IE OEL OELV - 8 hrs (TWA) **SKIN** Picloram ACGIH TWA 10 mg/m3 IE OEL OELV - 8 hrs (TWA) 10 mg/m3 IE OEL OELV - 15 min 20 mg/m3 (STEL)

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

#### **Derived No Effect Level**

Dipropylene glycol monomethyl ether

## Workers

TTO INCIS							
Acute systemic effects		Acute local effects		Long-term systemic effects		Long-term local effects	
Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation
n.a.	n.a.	n.a.	n.a.	65 mg/kg	310	n.a.	n.a.
				bw/day	mg/m3		

#### **Consumers**

Acute systemic effects			Acute lo	cal effects Long-term systemic effects		Long-term local effects			
Dermal	Inhalation	Oral	Dermal	Inhalation	Dermal	Inhalation	Oral	Dermal	Inhalation
n.a.	n.a.	n.a.	n.a.	n.a.	15 mg/kg bw/day	37.2 mg/m3	1.67 mg/kg	n.a.	n.a.
					Dw/day	mg/ms	bw/day		

## **Predicted No Effect Concentration**

Dipropylene glycol monomethyl ether

Compartment	PNEC		
Fresh water	19 mg/l		
Marine sediment	1.9 mg/l		
Intermittent use/release	190 mg/l		
Sewage treatment plant	4168 mg/l		
Fresh water sediment	70.2 mg/kg		
Marine sediment	7.02 mg/kg		
Soil	2.74 mg/kg		

#### 8.2 Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

**Eye/face protection:** Use chemical goggles. Chemical goggles should be consistent with EN 166 or equivalent.

## Skin protection

Hand protection: Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). Viton. When prolonged or frequently repeated contact may occur, a glove with a protection class of 4 or higher (breakthrough time greater than 120 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 1 or higher (breakthrough time greater than 10 minutes according to EN 374) is recommended. Glove thickness alone is not a good indicator of the level of protection a glove provides against a chemical substance as this level of protection is also highly dependent on the specific composition of the material that the glove is fabricated from. The thickness of the glove must, depending on model and type of material, generally be more than 0.35 mm to offer sufficient protection for prolonged and frequent contact with the substance. As an exception to this general rule it is known that multilayer laminate gloves may offer prolonged protection at thicknesses less than 0.35 mm. Other glove materials with a thickness of less than 0.35 mm may offer sufficient protection when only brief contact is expected. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier. Other protection: Use protective clothing chemically resistant to this material. Selection of

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2 (meeting standard EN 14387).

## **Environmental exposure controls**

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

#### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

## 9.1 Information on basic physical and chemical properties

**Appearance** 

Physical state Liquid.
Color Yellow
Odor Solvent

Odor Threshold No data available

**pH** 3.04 1% Aqueous solution

Melting point/range No data available

Freezing point No data available
Boiling point (760 mmHg) No data available

Flash point > 100 °C

Evaporation Rate (Butyl Acetate No data available

= 1)

Flammability (solid, gas) Not Applicable Lower explosion limit No data available **Upper explosion limit** No data available **Vapor Pressure** No data available **Relative Vapor Density (air = 1)** No data available Relative Density (water = 1) No data available Water solubility No data available Partition coefficient: n-No data available

octanol/water

Auto-ignition temperature 244 °C

Decomposition temperatureNo data availableDynamic Viscosity22.9 mPa.s at 20 °CKinematic ViscosityNo data availableExplosive propertiesNot explosive

Oxidizing properties No significant increase (>5C) in temperature.

9.2 Other information

**Liquid Density** 0.9417 g/cm3 at 20 °C *Digital density meter* 

Molecular weightNo data availableSurface tension28.5 mN/m at 25 °C

NOTE: The physical data presented above are typical values and should not be construed as a specification.

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity: No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability:** Thermally stable at typical use temperatures.

10.3 Possibility of hazardous reactions: Polymerization will not occur.

**10.4 Conditions to avoid:** Some components of this product can decompose at elevated temperatures.

10.5 Incompatible materials: None known.

Version: 1.3

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Hydrogen fluoride.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Toxicological information appears in this section when such data is available.

## 11.1 Information on toxicological effects

## Acute toxicity

## **Acute oral toxicity**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

#### As product:

LD50, Rat, female, > 2,000 mg/kg No deaths occurred at this concentration.

#### **Acute dermal toxicity**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

## As product:

LD50, Rat, female, > 2,000 mg/kg No deaths occurred at this concentration.

## Acute inhalation toxicity

Mist may cause irritation of upper respiratory tract (nose and throat).

#### As product:

LC50, Rat, male and female, 4 Hour, dust/mist, > 5.59 mg/l No deaths occurred at this concentration.

#### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

## Serious eye damage/eye irritation

May cause moderate eye irritation which may be slow to heal.

May cause slight corneal injury.

Effects may be delayed.

#### Sensitization

For skin sensitization:

Did not demonstrate the potential for contact allergy in mice.

For respiratory sensitization:

No relevant data found.

## **Specific Target Organ Systemic Toxicity (Single Exposure)**

May cause respiratory irritation. Route of Exposure: Inhalation

#### Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):

In animals, effects have been reported on the following organs:

Kidney.

Liver.

Gastrointestinal tract.

For the solvent(s):

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

#### Carcinogenicity

For the active ingredient(s): Picloram. Did not cause cancer in laboratory animals.

For similar active ingredient(s). Halauxifen. Did not cause cancer in laboratory animals.

#### **Teratogenicity**

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. Did not cause birth defects in laboratory animals.

For the solvent(s): Did not cause birth defects or any other fetal effects in laboratory animals.

#### Reproductive toxicity

For the active ingredient(s): Picloram. In animal studies, did not interfere with reproduction.

For similar active ingredient(s). Halauxifen. In animal studies, did not interfere with reproduction.

For the minor component(s): In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

#### Mutagenicity

For the active ingredient(s): In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

For the solvent(s): In vitro genetic toxicity studies were negative.

#### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

#### SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological information appears in this section when such data is available.

#### 12.1 Toxicity

## Acute toxicity to fish

Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50, Oncorhynchus mykiss (rainbow trout), semi-static test, 96 Hour, 18.3 mg/l, OECD Test Guideline 203

## Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), semi-static test, 48 Hour, 9.37 mg/l, OECD Test Guideline 202

#### Acute toxicity to algae/aquatic plants

ErC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, 8.8 mg/l, OECD Test Guideline 201

ErC50, Myriophyllum spicatum, 14 d, 0.0445 mg/l

NOEC, Myriophyllum spicatum, 14 d, 0.0048 mg/l

#### **Toxicity to Above Ground Organisms**

Material is practically non-toxic to birds on an acute basis (LD50 > 2000 mg/kg).

oral LD50, Colinus virginianus (Bobwhite quail), > 2000mg/kg bodyweight.

oral LD50, Apis mellifera (bees), 48 Hour, > 119µg/bee

contact LD50, Apis mellifera (bees), 48 Hour, > 250µg/bee

## Toxicity to soil-dwelling organisms

LC50, Eisenia fetida (earthworms), 14 d, > 1,000 mg/kg

#### 12.2 Persistence and degradability

#### **Picloram**

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions. Biodegradation may occur under aerobic conditions (in the presence of oxygen). Surface photodegradation is expected with exposure to sunlight.

10-day Window: Fail **Biodegradation:** 1.95 % **Exposure time:** 28 d

Method: OECD Test Guideline 301

## Stability in Water (1/2-life)

Hydrolysis, half-life, > 1.8 year, pH 5 - 9, Half-life Temperature 45 °C, Measured

**Photodegradation** 

Test Type: Half-life (indirect photolysis)

**Sensitization:** OH radicals **Atmospheric half-life:** 12.5 Hour

## Halauxifen-methyl

**Biodegradability:** For similar active ingredient(s). Halauxifen. Material is expected to biodegrade very slowly (in the environment). Fails to pass OECD/EEC tests for ready biodegradability.

10-day Window: Not applicable **Biodegradation:** 7.7 % **Exposure time:** 28 d

Method: OECD Test Guideline 310 or Equivalent

#### Reaction mass of N.N-dimethyldecan-1-amide and N.N-dimethyloctanamide

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. 10-day Window: Pass **Biodegradation:** > 80 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

Chemical Oxygen Demand: 2.890 mg/g

## Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability.

**Biodegradation:** 87.35 % **Exposure time:** 28 d

Method: OECD Test Guideline 301B or Equivalent

#### Dipropylene glycol monomethyl ether

Biodegradability: Material is readily biodegradable. Passes OECD test(s) for ready

biodegradability. Material is ultimately biodegradable (reaches > 70% mineralization in OECD test(s)

for inherent biodegradability).

10-day Window: Pass **Biodegradation:** 75 % **Exposure time:** 28 d

Method: OECD Test Guideline 301F or Equivalent

#### 12.3 Bioaccumulative potential

#### **Picloram**

Bioaccumulation: Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): -1.92

Bioconcentration factor (BCF): 0.54 Lepomis macrochirus (Bluegill sunfish)

## **Halauxifen-methyl**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow

between 3 and 5).

Partition coefficient: n-octanol/water(log Pow): 3.76

Bioconcentration factor (BCF): 233 Lepomis macrochirus (Bluegill sunfish) 42 d

#### Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide

Bioaccumulation: Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow

between 3 and 5).

Partition coefficient: n-octanol/water(log Pow): <3.44 at 20 °C

## Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 0.51 at 20 °C

## Dipropylene glycol monomethyl ether

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 1.01 Measured

#### 12.4 Mobility in soil

#### **Picloram**

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 35

## Halauxifen-methyl

Expected to be relatively immobile in soil (Koc > 5000).

Partition coefficient (Koc): 5684

## Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide

Potential for mobility in soil is low (Koc between 500 and 2000).

Partition coefficient (Koc): 527.3

#### Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

No relevant data found.

#### Dipropylene glycol monomethyl ether

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 0.28 Estimated.

#### 12.5 Results of PBT and vPvB assessment

#### **Picloram**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Halauxifen-methyl

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## Reaction mass of N,N-dimethyldecan-1-amide and N,N-dimethyloctanamide

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## Dipropylene glycol monomethyl ether

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### 12.6 Other adverse effects

#### **Picloram**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Halauxifen-methyl

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Reaction mass of N.N-dimethyldecan-1-amide and N.N-dimethyloctanamide

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

#### Dipropylene glycol monomethyl ether

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Version: 1.3

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

#### **SECTION 14: TRANSPORT INFORMATION**

#### Classification for ROAD and Rail transport (ADR/RID):

**14.1 UN number** UN 3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(Picloram, Halauxifen-methyl)

14.3 Transport hazard class(es) 914.4 Packing group |||

**14.5 Environmental hazards** Picloram, Halauxifen-methyl

14.6 Special precautions for user

Hazard Identification Number: 90

## Classification for SEA transport (IMO-IMDG):

**14.1 UN number** UN 3082

**14.2 UN proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.(Picloram, Halauxifen-methyl)

14.3 Transport hazard class(es) 914.4 Packing group |||

**14.5 Environmental hazards** Picloram, Halauxifen-methyl

14.6 Special precautions for user EmS: F-A, S-F

14.7 Transport in bulk according to Annex I or II of MARPOL

73/78 and the IBC or IGC

Consult IMO regulations before transporting ocean bulk

Code

## Classification for AIR transport (IATA/ICAO):

**14.1 UN number** UN 3082

**14.2 UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.(Picloram,

Halauxifen-methyl)

14.3 Transport hazard class(es) 914.4 Packing group |||

14.5 Environmental hazards Not applicable14.6 Special precautions for user No data available.

#### Further information:

Marine Pollutants assigned UN number 3077 and 3082 in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 KG or less for solids may be transported as non-dangerous goods as provided in section 2.10.2.7 of IMDG code, IATA special provision A197, and ADR/RID special provision 375.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## **SECTION 15: REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### REACh Regulation (EC) No 1907/2006

This product contains only components that have been either pre-registered, registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH).,The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure thathis/her understanding of the regulatory status of this product is correct.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: ENVIRONMENTAL HAZARDS

Number in Regulation: E1

100 t 200 t

#### 15.2 Chemical safety assessment

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

## **SECTION 16: OTHER INFORMATION**

#### Full text of H-Statements referred to under sections 2 and 3.

H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Eye Irrit. - 2 - H319 - On basis of test data. STOT SE - 3 - H335 - Calculation method Aquatic Acute - 1 - H400 - On basis of test data. Aquatic Chronic - 1 - H410 - On basis of test data.

#### Revision

Identification Number: / Issue Date: 22.07.2021 / Version: 1.3

DAS Code: GF-3447

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

#### Legend

Legena	
2000/39/EC	Europe. Commission Directive 2000/39/EC establishing a first list of indicative
	occupational exposure limit values
ACGIH	USA. ACGIH Threshold Limit Values (TLV)
Dow IHG	Dow Industrial Hygiene Guideline
IE OEL	Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
OELV - 15 min (STEL)	Occupational exposure limit value (15-minute reference period)
OELV - 8 hrs (TWA)	Occupational exposure limit value (8-hour reference period)
SKIN	Absorbed via skin
STEL	Short-term exposure limit
TWA	Limit Value - eight hours
Aquatic Acute	Short-term (acute) aquatic hazard
Aquatic Chronic	Long-term (chronic) aquatic hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Skin Irrit.	Skin irritation
STOT SE	Specific target organ toxicity - single exposure

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute

Version: 1.3

for Standardisation: DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency: EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan): ErCx - Concentration associated with x% growth rate response: GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory: LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI -Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Information Source and References

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

Corteva Agriscience UK Limited urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.