

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

Trade name	:	RANCONA i-MIX
Product code	:	000000001256

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub- stance/Mixture	:	Fungicide
Recommended restrictions on use	:	Agriculture, For professional users only.

**1.3 Details of the supplier of the safety data sheet**

**Manufacturer or supplier's details**

Company:	Chemtura Europe Limited Brooklands Farm, Cheltenham Road Evesham, Worcestershire United Kingdom WR11 2LS Telephone : +44 1386 425500
----------	---

Prepared by	sds.request@arysta.com
-------------	------------------------

Further information for the safety data sheet :  
sds.request@arysta.com

**1.4 Emergency telephone number**

Emergency telephone number:	+44 (0) 1235 239 670 (NCEC) For additional emergency telephone numbers see section 16 of the Safety Data Sheet.
-----------------------------	--

---

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

**Classification (REGULATION (EC) No 1272/2008)**

Chronic aquatic toxicity, Category 1	H410: Very toxic to aquatic life with long lasting
--------------------------------------	--

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version 2.2      Revision Date: 19.11.2015      MSDS Number: 000000001256      Country: GB  
Language: EN

effects.

Chronic aquatic toxicity, Category 1

H410: Very toxic to aquatic life with long lasting effects.

**2.2 Label elements**

**Labelling (REGULATION (EC) No 1272/2008)**

Supplemental Hazard Statements : EUH401

To avoid risks to human health and the environment, comply with the instructions for use.

Hazard pictograms :



Signal word : Warning

Hazard statements : H410

Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P273  
**Response:**  
P391  
**Disposal:**  
P501

Avoid release to the environment.

Collect spillage.

Dispose of contents/ container to an approved waste disposal plant.

**2.3 Other hazards**

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**SECTION 3: Composition/information on ingredients**

**3.2 Mixtures**

Chemical nature : Ipconazole - 20 gm/L  
Imazalil - 50 g/L

**Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
---------------	--	----------------	--------------------------

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version 2.2      Revision Date: 19.11.2015      MSDS Number: 000000001256      Country: GB  
Language: EN

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	35554-44-0 252-615-0	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 3 - < 10$
Ipconazole	125225-28-7	Acute Tox. 4; H302 Acute Tox. 4; H332 Repr. 2; H361 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	$\geq 1 - < 2.5$

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- If inhaled : Move to fresh air.  
Obtain medical attention.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with warm water and soap.  
If symptoms persist, call a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.  
If symptoms persist, call a physician.
- If swallowed : Do NOT induce vomiting.  
Rinse mouth with water.  
Obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : Cancer  
Symptoms may be delayed.
- Risks : Suspected of causing cancer.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : The first aid procedure should be established in consultation  
with the doctor responsible for industrial medicine.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

- Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

(on small fires)  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Water spray jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : No information available.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Complete suit protecting against chemicals Flame-resistant clothing

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Wear suitable protective equipment.  
Avoid contact with skin and eyes.

**6.2 Environmental precautions**

Environmental precautions : Do not allow uncontrolled discharge of product into the environment.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Dam up.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.  
Large spills should be collected mechanically (remove by pumping) for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

---

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.  
Wash thoroughly after handling.  
Do not use in areas without adequate ventilation.

---

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version 2.2      Revision Date: 19.11.2015      MSDS Number: 000000001256      Country: GB  
Language: EN

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep in a dry, cool place.

Advice on common storage : Never allow product to get in contact with water during storage.

Other data : Stable under normal conditions.

**7.3 Specific end use(s)**

Specific use(s) : Fungicide

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propane-1,2-diol	57-55-6	TWA (particles)	10 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			
		TWA (Total vapour and particles)	150 ppm 474 mg/m <sup>3</sup>	GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used			

**8.2 Exposure controls**

**Engineering measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal protective equipment**

Eye protection : Safety glasses with side-shields

Hand protection  
Remarks : Impervious butyl rubber gloves

Skin and body protection : Impervious clothing  
Long sleeved clothing

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.

**SECTION 9: Physical and chemical properties**

**9.1 Information on basic physical and chemical properties**

Appearance : liquid

Colour : red

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

Odour	: characteristic
Odour Threshold	: No data available
pH	: 6 - 8
Melting point/range	: Not applicable
Boiling point/boiling range	: 100 °C
Flash point	: > 100 °C
Evaporation rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.070 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: completely miscible
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available

**9.2 Other information**

Oxidizing potential	: No information available.
---------------------	-----------------------------

---

**SECTION 10: Stability and reactivity**

## RANCONA i-MIX

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

### 10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents  
Strong acids and strong bases

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating gases and vapours.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Product:

Acute oral toxicity : LD50 (Rat): > 2,500 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 5.66 mg/l  
Test atmosphere: dust/mist  
GLP: yes

Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
GLP: yes

##### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Acute oral toxicity : Acute toxicity estimate: 500 mg/kg  
Method: Converted acute toxicity point estimate

##### **Ipconazole:**

Acute oral toxicity : LD50 (Rat, male): 1,338 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

SAFETY DATA SHEET  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

LD50 (Rat, female): 888 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

LD50 (Mouse, male): 537 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

LD50 (Mouse, female): 468 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 1.88 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

LC50 (Rat, male and female): > 3.53 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Skin corrosion/irritation**

**Product:**

Species: Rabbit  
Result: No skin irritation  
GLP: yes

**Components:**

**Ipconazole:**

Species: Rabbit  
Exposure time: 4 h  
Result: No skin irritation  
GLP: yes

**Serious eye damage/eye irritation**

**Product:**

Species: Rabbit  
Result: No eye irritation  
GLP: yes

**Components:**



## RANCONA i-MIX

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

### **Ipconazole:**

Species: Rabbit  
Result: No eye irritation  
GLP: yes

### **Respiratory or skin sensitisation**

#### **Product:**

Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

#### **Components:**

##### **Ipconazole:**

Species: Guinea pig  
Method: Magnusson-Kligmann-Test  
Result: Did not cause sensitisation on laboratory animals.  
GLP: yes

### **Germ cell mutagenicity**

#### **Components:**

##### **Ipconazole:**

Genotoxicity in vitro	: Test Type: Ames test Metabolic activation: with and without metabolic activation Method: Mutagenicity (Escherichia coli - reverse mutation assay) Result: negative
	: Test Type: In Vitro mammalian Cell Gene Mutation Test Metabolic activation: with and without metabolic activation Result: negative
	: Test Type: Chromosome aberration test in vitro Metabolic activation: with and without metabolic activation Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse (male and female) Cell type: Bone marrow Application Route: Oral Dose: 750, 1000 mg/kg bw/day Result: negative GLP: yes
Germ cell mutagenicity- Assessment	: In vitro tests did not show mutagenic effects

### **Carcinogenicity**

#### **Components:**

## RANCONA i-MIX

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

### **Ipconazole:**

Species: Mouse, (male and female)  
Exposure time: 78 weeks  
Dose: 0, 15, 175, 350 ppm  
NOAEL: 15 ppm  
LOAEL: 175 ppm  
GLP: yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

### **Reproductive toxicity**

#### **Components:**

##### **Ipconazole:**

Effects on fertility : Species: Rat, male and female  
Dose: 0, 30, 100 or 300 ppm  
General Toxicity F1: No observed adverse effect level: 9 - 10 mg/kg bw/day  
GLP: yes

Effects on foetal development : Species: Rabbit  
Application Route: Oral  
Dose: 0, 2, 10, 50 milligram per kilogram  
General Toxicity Maternal: 10 mg/kg bw/day  
Teratogenicity: 10 mg/kg bw/day

### **STOT - repeated exposure**

#### **Product:**

Assessment: Not classified due to lack of data.

#### **Components:**

##### **Ipconazole:**

Target Organs: Eyes  
Assessment: May cause damage to organs through prolonged or repeated exposure.

### **Repeated dose toxicity**

#### **Components:**

##### **Ipconazole:**

Species: Rat, female  
NOAEL: 7 mg/kg  
LOAEL: 33.2 mg/kg  
Application Route: Oral  
Exposure time: 13 weeks  
Dose: 3.1, 7.0, 15.4 and 33.2 mg/kg  
GLP: yes  
Target Organs: Adrenal gland, thymus gland

Species: Rat, male

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

NOAEL: 25.9 mg/kg  
LOAEL: 52.2 mg/kg  
Application Route: Oral  
Exposure time: 13 weeks  
Dose: 2.5, 5.8, 12.6, 25.9 and 52.2  
GLP: yes  
Target Organs: Adrenal gland, thymus gland

Species: Dog, male and female  
NOAEL: 10 mg/kg  
LOAEL: 40 mg/kg  
Application Route: Dermal  
Exposure time: 13 weeks  
Dose: 0, 2, 10 or 40 mg/kg bw/day  
GLP: yes

Species: Rat, male and female  
NOAEL: 30 mg/kg  
LOAEL: 100 mg/kg  
Application Route: Inhalation  
Test atmosphere: dust/mist  
Exposure time: 28-day  
Dose: 0, 30, 100, 300 or 1000 mg/m<sup>3</sup>  
GLP: yes  
Target Organs: Liver, Adrenal gland, spleen

Species: Dog, male and female  
NOAEL: 1.5 mg/kg  
LOAEL: 5 mg/kg  
Exposure time: 13 weeks  
Dose: 0, 1.5, 5, 20 mg/kg bw/day  
GLP: yes  
Target Organs: Eyes, Liver, Adrenal gland

**Further information**

**Product:**

Remarks: No data available

---

**SECTION 12: Ecological information**

**12.1 Toxicity**

**Product:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 25 mg/l  
Exposure time: 96 h  
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 40.68 mg/l  
aquatic invertebrates Exposure time: 48 h  
GLP: yes

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

Toxicity to algae : EC50 (*Desmodesmus subspicatus* (green algae)): 1.56 mg/l  
Exposure time: 72 h  
GLP: yes

**Components:**

**Ipconazole:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): 2.4 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 3.1 mg/l  
Exposure time: 48 h  
Test Type: flow-through test

Toxicity to algae : EC50 (*Selenastrum capricornutum* (green algae)): 0.17 mg/l  
Exposure time: 120 h  
Test Type: static test

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.12 mg/l  
Exposure time: 90 d  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0109 mg/l  
Exposure time: 21 d  
Species: *Daphnia magna* (Water flea)  
GLP: yes

NOEC: 0.37 mg/l  
Exposure time: 21 d  
Test Type: flow-through test

M-Factor (Chronic aquatic toxicity) : 100

Plant toxicity : 2.5 mg/kg

**12.2 Persistence and degradability**

**Product:**

Biodegradability : Remarks: No data available

**Components:**

**Ipconazole:**

Biodegradability : Remarks: Not readily biodegradable.

Stability in water : Degradation half life (DT50): 92 h pH: 5  
Hydrolysis: at 25 °C

## RANCONA i-MIX

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

### 12.3 Bioaccumulative potential

**Product:**

Bioaccumulation : Remarks: No data available

**Components:**

**Ipconazole:**

Bioaccumulation : Bioconcentration factor (BCF): 165

Partition coefficient: n-octanol/water : log Pow: 4.28 - 4.49

### 12.4 Mobility in soil

**Product:**

Mobility : Remarks: No data available

### 12.5 Results of PBT and vPvB assessment

**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**Components:**

**Ipconazole:**

Assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

**Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Very toxic to aquatic life with long lasting effects.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of as hazardous waste in compliance with local and national regulations.  
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.

## RANCONA i-MIX

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

---

### SECTION 14: Transport information

#### 14.1 UN number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

#### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imazalil, Ipconazole)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imazalil, Ipconazole)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imazalil, Ipconazole)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Imazalil, Ipconazole)
IATA	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., Environmentally hazardous substance, liquid, n.o.s. (Imazalil, Ipconazole)

#### 14.3 Transport hazard class(es)

ADN	: 9
ADR	: 9
RID	: 9
IMDG	: 9
IATA	: 9

#### 14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version	Revision Date:	MSDS Number:	Country: GB
2.2	19.11.2015	000000001256	Language: EN

Tunnel restriction code : (E)

**RID**

Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA**

Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**14.5 Environmental hazards**

**ADN**

Environmentally hazardous : yes

**ADR**

Environmentally hazardous : yes

**RID**

Environmentally hazardous : yes

**IMDG**

Marine pollutant : yes

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version 2.2	Revision Date: 19.11.2015	MSDS Number: 000000001256	Country: GB Language: EN
----------------	------------------------------	------------------------------	-----------------------------

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

9b	Dangerous for the environment	Quantity 1 200 t	Quantity 2 500 t
----	-------------------------------	---------------------	---------------------

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1	ENVIRONMENTAL HAZARDS	100 t	200 t
----	--------------------------	-------	-------

Water contaminating class (Germany) : WGK 2 water endangering  
Classification according VwVwS, Annex 4.

**15.2 Chemical Safety Assessment**

No information available.

**SECTION 16: Other information**

**Full text of H-Statements**

H302	: Harmful if swallowed.
H318	: Causes serious eye damage.
H332	: Harmful if inhaled.
H361	: Suspected of damaging fertility or the unborn child.
H373	: May cause damage to organs through prolonged or repeated exposure.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Acute Tox.	: Acute toxicity
Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
STOT RE	: Specific target organ toxicity - repeated exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardi-



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

## RANCONA i-MIX

Version 2.2      Revision Date: 19.11.2015      MSDS Number: 000000001256      Country: GB  
Language: EN

zation; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

### Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

### Carechem24 International Worldwide Coverage

#### Emergency Phone Number

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039
	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401

**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

**RANCONA i-MIX**

Version      Revision Date:      MSDS Number:      Country: GB  
2.2          19.11.2015          000000001256      Language: EN

---

	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670

---