

# SAFETY DATA SHEET

DOW AGROSCIENCES LIMITED

Safety Data Sheet according to Reg. (EU) No 453/2010

**Product name:** RELDAN™ 22 Insecticide

**Revision Date:** 09.03.2015

**Version:** 5.1

**Print Date:** 09.03.2015

DOW AGROSCIENCES LIMITED encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

---

## SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

---

### 1.1 Product identifier

**Product name:** RELDAN™ 22 Insecticide

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses:** Plant Protection Product

### 1.3 Details of the supplier of the safety data sheet

#### COMPANY IDENTIFICATION

DOW AGROSCIENCES LIMITED  
LATCHMORE COURT  
BRAND STREET  
HITCHIN  
England  
SG5 1NH  
UNITED KINGDOM

**Customer Information Number:**

[SDSQuestion@dow.com](mailto:SDSQuestion@dow.com)

### 1.4 EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** 0031 115 694 982

**Local Emergency Contact:** 00 31 115 69 4982

---

## SECTION 2. HAZARDS IDENTIFICATION

---

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008:

Skin irritation - Category 2 - H315

Skin sensitisation - Category 1 - H317

Specific target organ toxicity - single exposure - Category 3 - Narcotic effects. - H336

Aspiration toxicity - Category 1 - H304

Acute aquatic toxicity - Category 1 - H400

Chronic aquatic toxicity - Category 1 - H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Classification according to EU Directives 67/548/EEC or 1999/45/EC:**

Irritant - R38

R43

R67

Dangerous for the environment - R50/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

**2.2 Label elements**

**Labelling according to Regulation (EC) No 1272/2008:**

**Hazard pictograms**



**Signal word: DANGER**

**Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

**Supplemental Hazard Statements**

EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

**Precautionary statements**

P261 Avoid breathing vapours.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P331 Do NOT induce vomiting.

P501 Dispose of contents/container to a licensed waste disposal contractor or collection site except for empty clean triple rinsed containers which can be disposed of as non-hazardous waste.

**Contains** chlorpyrifos-methyl; Hydrocarbons, C10-C13, aromatics, <1% naphthalene;  
Hydrocarbons, C10, aromatics, <1% naphthalene

**2.3 Other hazards**

no data available

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**


---

**3.2 Mixtures**

This product is a mixture.

<b>CASRN / EC-No. / Index-No.</b>	<b>REACH Registration Number</b>	<b>Concentration</b>	<b>Component</b>	<b>Classification: REGULATION (EC) No 1272/2008</b>
<b>CASRN</b> 5598-13-0 <b>EC-No.</b> 227-011-5 <b>Index-No.</b> 015-186-00-9	—	21.4%	chlorpyrifos-methyl	Skin Sens. - 1 - H317 Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
<b>CASRN</b> not available <b>EC-No.</b> 922-153-0 <b>Index-No.</b> —	01-2119451097-39	> 50.0 - < 60.0 %	Hydrocarbons, C10-C13, aromatics, <1% naphthalene	Asp. Tox. - 1 - H304 Aquatic Chronic - 2 - H411
<b>CASRN</b> Not Available <b>EC-No.</b> 918-811-1 <b>Index-No.</b> —	01-2119463583-34	> 20.0 - < 30.0 %	Hydrocarbons, C10, aromatics, <1% naphthalene	STOT SE - 3 - H336 Asp. Tox. - 1 - H304 Aquatic Chronic - 2 - H411
<b>CASRN</b> 26264-06-2 <b>EC-No.</b> 247-557-8 <b>Index-No.</b> —	—	< 5.0 %	Benzenesulfonic acid, dodecyl-, calcium salt	Acute Tox. - 4 - H302 Skin Irrit. - 2 - H315 Eye Dam. - 1 - H318
<b>CASRN</b> 91-20-3 <b>EC-No.</b> 202-049-5 <b>Index-No.</b> 601-052-00-2	—	< 1.0 %	Naphthalene	Acute Tox. - 4 - H302 Carc. - 2 - H351 Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410

<b>CASRN</b> 2921-88-2 <b>EC-No.</b> 220-864-4 <b>Index-No.</b> 015-084-00-4	—	0.1%	chlorpyrifos (ISO)	Acute Tox. - 3 - H301 Aquatic Acute - 1 - H400 Aquatic Chronic - 1 - H410
---	---	------	--------------------	---

For the full text of the H-Statements mentioned in this Section, see Section 16.

<b>CASRN / EC-No. / Index-No.</b>	<b>Concentration</b>	<b>Component</b>	<b>Classification: 67/548/EEC</b>
<b>CASRN</b> 5598-13-0 <b>EC-No.</b> 227-011-5 <b>Index-No.</b> 015-186-00-9	21.4%	chlorpyrifos-methyl	R43 N - R50 - R53
<b>CASRN</b> not available <b>EC-No.</b> 922-153-0 <b>Index-No.</b> —	> 50.0 - < 60.0 %	Hydrocarbons, C10- C13, aromatics, <1% naphthalene	Xn - R65 R66 N - R51/53
<b>CASRN</b> Not Available <b>EC-No.</b> 918-811-1 <b>Index-No.</b> —	> 20.0 - < 30.0 %	Hydrocarbons, C10, aromatics, <1% naphthalene	Xn - R65 N - R51/53 R66 R67
<b>CASRN</b> 26264-06-2 <b>EC-No.</b> 247-557-8 <b>Index-No.</b> —	< 5.0 %	Benzenesulfonic acid, dodecyl-, calcium salt	Xi - R38 - R41 Xn - R22
<b>CASRN</b> 91-20-3 <b>EC-No.</b> 202-049-5 <b>Index-No.</b> 601-052-00-2	< 1.0 %	Naphthalene	Carc.Cat.3 - R40 Xn - R22 N - R50 - R53
<b>CASRN</b> 2921-88-2 <b>EC-No.</b> 220-864-4 <b>Index-No.</b> 015-084-00-4	0.1%	chlorpyrifos (ISO)	T - R25 N - R50 - R53

For the full text of the R-phrases mentioned in this Section, see Section 16.

---

## SECTION 4. FIRST AID MEASURES

---

### 4.1 Description of first aid measures

**Inhalation:** Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice. If breathing is difficult, oxygen should be administered by qualified personnel.

**Skin contact:** Take off contaminated clothing. Wash skin with soap and plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Wash clothing before reuse. Shoes and other leather items which cannot be decontaminated should be disposed of properly.

**Eye contact:** Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**Ingestion:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Seek medical attention immediately.

**4.2 Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

### 4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Skin contact may aggravate preexisting dermatitis. Chlorpyrifos-methyl is a cholinesterase inhibitor. Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration. Attempt seizure control with diazepam 5-10 mg (adults) intravenous over 2-3 minutes. Repeat every 5-10 minutes as needed. Monitor for hypotension, respiratory depression, and need for intubation. Consider second agent if seizures persist after 30 mg. If seizures persist or recur administer phenobarbital 600-1200 mg (adults) intravenous diluted in 60 ml 0.9% saline given at 25-50 mg/minute. Evaluate for hypoxia, dysrhythmia, electrolyte disturbance, hypoglycemia (treat adults with dextrose 100 mg intravenous). Maintain adequate ventilation and oxygenation of the patient. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Because rapid absorption may occur through the lungs if aspirated and cause systemic effects, the decision of whether to induce vomiting or not should be made by a physician. If lavage is performed, suggest endotracheal and/or esophageal control. Danger from lung aspiration must be weighed against toxicity when considering emptying the stomach. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

---

## SECTION 5. FIREFIGHTING MEASURES

---

### 5.1 Extinguishing media

**Suitable extinguishing media:** Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective.

**Unsuitable extinguishing media:** no data available

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Sulfur oxides. Phosphorous compounds. Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide.

**Unusual Fire and Explosion Hazards:** Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Dense smoke is produced when product burns.

### 5.3 Advice for firefighters

**Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound from venting safety device or discoloration of the container. Burning liquids may be extinguished by dilution with water. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

**Special protective equipment for firefighters:** Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

---

**6.1 Personal precautions, protective equipment and emergency procedures:** Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

**6.2 Environmental precautions:** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

**6.3 Methods and materials for containment and cleaning up:** Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance. See Section 13, Disposal Considerations, for additional information.

**6.4 Reference to other sections:** References to other sections, if applicable, have been provided in the previous sub-sections.

## SECTION 7. HANDLING AND STORAGE

**7.1 Precautions for safe handling:** Keep out of reach of children. Do not swallow. Avoid contact with eyes, skin, and clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Use with adequate ventilation. See Section 8, EXPOSURE CONTROLS AND PERSONAL PROTECTION.

**7.2 Conditions for safe storage, including any incompatibilities:** Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

**7.3 Specific end use(s):** Refer to product label.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Exposure limits are listed below, if they exist.

Component	Regulation	Type of listing	Value/Notation
chlorpyrifos-methyl	Dow IHG	TWA	0.1 mg/m3
	Dow IHG	TWA	Absorbed via skin
Naphthalene	ACGIH	TWA	10 ppm
	ACGIH	TWA	Absorbed via skin
	Dow IHG	TWA	10 ppm
	Dow IHG	TWA	Absorbed via skin
	Dow IHG	STEL	15 ppm
	Dow IHG	STEL	Absorbed via skin
	91/322/EEC	TWA	50 mg/m3 10 ppm
	IE OEL	OELV - 15 min (STEL)	75 mg/m3 15 ppm
	IE OEL	OELV - 8 hrs (TWA)	50 mg/m3 10 ppm
chlorpyrifos (ISO)	ACGIH	TWA Inhalable fraction and vapor	0.1 mg/m3
	ACGIH	TWA	SKIN, BEI
	IE OEL	OELV - 8 hrs (TWA) inhalable fraction	0.1 mg/m3

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING.

### 8.2 Exposure controls

**Engineering controls:** Use engineering controls to maintain airborne level below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations.

#### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

#### Skin protection

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. Examples of preferred glove barrier materials include: Polyethylene. Viton. Polyvinyl chloride ("PVC" or "vinyl"). Styrene/butadiene rubber. Ethyl vinyl alcohol laminate ("EVAL"). Examples

of acceptable glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Natural rubber ("latex"). Nitrile/butadiene rubber ("nitrile" or "NBR"). When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374) is recommended. When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374) is recommended. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material.

Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.

Use the following CE approved air-purifying respirator: Organic vapor cartridge with a particulate pre-filter, type AP2.

#### Environmental exposure controls

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### 9.1 Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid.
Color	Orange
Odor	Gasoline-like
Odor Threshold	No test data available
pH	4.74 1% pH Electrode (1% aqueous suspension)
Melting point/range	Not applicable
Freezing point	No test data available
Boiling point (760 mmHg)	No test data available
Flash point	<b>closed cup</b> 82.5 °C <i>Closed Cup</i>
Evaporation Rate (Butyl Acetate = 1)	No test data available
Flammability (solid, gas)	Not Applicable
Lower explosion limit	No test data available



Upper explosion limit	No test data available
Vapor Pressure	No test data available
Relative Vapor Density (air = 1)	No test data available
Relative Density (water = 1)	No test data available
Water solubility	emulsifiable
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	<i>EC Method A15</i> none below 400 degC
Decomposition temperature	No test data available
Dynamic Viscosity	3.11 mPa.s at 40 °C
Kinematic Viscosity	2.96 mm <sup>2</sup> /s at 40 °C <i>Calculated.</i>
Explosive properties	No
Oxidizing properties	No

**9.2 Other information**

Liquid Density	1.0504 g/cm <sup>3</sup> at 20 °C <i>Digital density meter</i>
Molecular weight	no data available
Surface tension	34.0 mN/m at 25 °C

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

**SECTION 10. STABILITY AND REACTIVITY**

---

**10.1 Reactivity:** No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability:** Unstable at elevated temperatures.

**10.3 Possibility of hazardous reactions:** Polymerization will not occur.

**10.4 Conditions to avoid:** Exposure to elevated temperatures can cause product to decompose. Generation of gas during decomposition can cause pressure in closed systems. Avoid static discharge. Avoid direct sunlight.

**10.5 Incompatible materials:** Avoid contact with: Bases. Oxidizers.

**10.6 Hazardous decomposition products:** Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Carbon monoxide. Carbon dioxide. Hydrogen chloride. Organic sulfides. Sulfur dioxide. Toxic gases are released during decomposition.

---

## SECTION 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information on this product or its components appear in this section when such data is available.*

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Acute oral toxicity

Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

As product:

LD50, Rat, 3,129 mg/kg

##### Acute dermal toxicity

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product:

LD50, Rat, > 5,000 mg/kg

##### Acute inhalation toxicity

No adverse effects are anticipated from single exposure to mist. Vapor may cause irritation of the upper respiratory tract (nose and throat).

As product:

LC50, Rat, 4 Hour, dust/mist, > 5.39 mg/l

#### Skin corrosion/irritation

Brief contact may cause moderate skin irritation with local redness.

May cause drying and flaking of the skin.

#### Serious eye damage/eye irritation

May cause slight eye irritation.

May cause slight temporary corneal injury.

#### Sensitization

For the active ingredient(s):

Skin contact may cause an allergic skin reaction.

For respiratory sensitization:

No relevant information found.

#### Specific Target Organ Systemic Toxicity (Single Exposure)

May cause drowsiness or dizziness.

#### Specific Target Organ Systemic Toxicity (Repeated Exposure)

For the active ingredient(s):

Excessive exposure may produce organophosphate type cholinesterase inhibition.

Signs and symptoms of excessive exposure to active ingredient may be headache, dizziness, incoordination, muscle twitching, tremors, nausea, abdominal cramps, diarrhea, sweating, pinpoint pupils, blurred vision, salivation, tearing, tightness in chest, excessive urination, convulsions.

In animals, effects have been reported on the following organs:

Liver.

Adrenal gland.

For the solvent(s):

Excessive exposure to solvent(s) may cause respiratory irritation and central nervous system depression.

Lung.

Gastrointestinal tract.

Thyroid.

Urinary tract.

Dose levels producing these effects were many times higher than any dose levels expected from exposure due to use.

### **Carcinogenicity**

Contains naphthalene which has caused cancer in some laboratory animals.

Active ingredient did not cause cancer in laboratory animals.

### **Teratogenicity**

For the active ingredient(s): High doses fed to pregnant mice resulted in an increase in cleft palate, a common developmental abnormality in mice. No abnormalities have been observed in other species under similar test conditions. For the solvent(s): Did not cause birth defects or any other fetal effects in laboratory animals.

### **Reproductive toxicity**

For the active ingredient(s): In animal studies, did not interfere with reproduction.

### **Mutagenicity**

For the active ingredient(s): In vitro genetic toxicity studies were negative in some cases and positive in other cases. For the solvent(s): In vitro genetic toxicity studies were negative. For the component(s) tested: Animal genetic toxicity studies were negative.

### **Aspiration Hazard**

May be fatal if swallowed and enters airways.

---

## **SECTION 12. ECOLOGICAL INFORMATION**

---

*Ecotoxicological information on this product or its components appear in this section when such data is available.*

### **12.1 Toxicity**

#### **Acute toxicity to fish**

Material is very toxic to aquatic organisms (LC50/EC50/IC50 below 1 mg/L in the most sensitive species).

LC50, *Oncorhynchus mykiss* (rainbow trout), flow-through test, 96 Hour, 0.5 mg/l

#### **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), static test, 48 Hour, 0.00115 mg/l

**Acute toxicity to algae/aquatic plants**

ErC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, Growth rate inhibition, 2.21 mg/l

EbC50, Pseudokirchneriella subcapitata (green algae), 72 Hour, Biomass, 1.92 mg/l

**Toxicity to Above Ground Organisms**

contact LD50, Apis mellifera (bees), 48 Hour, 1.1micrograms/bee

oral LD50, Apis mellifera (bees), 2.2micrograms/bee

**Toxicity to soil-dwelling organisms**

LC50, Eisenia fetida (earthworms), 14 d, survival, 94.3 mg/kg

**12.2 Persistence and degradability**

**chlorpyrifos-methyl**

**Biodegradability:** Biodegradation under aerobic laboratory conditions is below detectable limits (BOD20 or BOD28/ThOD < 2.5%). Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

10-day Window: Fail

**Biodegradation:** 25 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 2.08 mg/mg

**Stability in Water (1/2-life)**

, 2.2 - 3.6 d

**Photodegradation**

**Atmospheric half-life:** 2.11 Hour

**Method:** Estimated.

**Hydrocarbons, C10-C13, aromatics, <1% naphthalene**

**Biodegradability:** For similar material(s): Biodegradation may occur under aerobic conditions (in the presence of oxygen). Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions.

**Hydrocarbons, C10, aromatics, <1% naphthalene**

**Biodegradability:** Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability).

**Benzenesulfonic acid, dodecyl-, calcium salt**

**Biodegradability:** For similar material(s): Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Pass

**Biodegradation:** 95 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301E or Equivalent

**Naphthalene**

**Biodegradability:** Material is expected to be readily biodegradable.

**chlorpyrifos (ISO)**

**Biodegradability:** Material is not readily biodegradable according to OECD/EEC guidelines.

10-day Window: Fail

**Biodegradation:** 22 %

**Exposure time:** 28 d

**Method:** OECD Test Guideline 301D or Equivalent

**Theoretical Oxygen Demand:** 2.46 mg/mg

**Stability in Water (1/2-life)**

Hydrolysis, half-life, 72 d

**Photodegradation**

**Test Type:** Half-life (indirect photolysis)

**Sensitizer:** OH radicals

**Atmospheric half-life:** 1.4 Hour

**Method:** Estimated.

**12.3 Bioaccumulative potential**

**chlorpyrifos-methyl**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 4

**Bioconcentration factor (BCF):** 1,800 Oncorhynchus mykiss (rainbow trout) 13 d

**Hydrocarbons, C10-C13, aromatics, <1% naphthalene**

**Bioaccumulation:** No data available for this product. For similar material(s):

Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

**Hydrocarbons, C10, aromatics, <1% naphthalene**

**Bioaccumulation:** No data available for this product. For similar material(s):

Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

**Benzenesulfonic acid, dodecyl-, calcium salt**

**Bioaccumulation:** Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and 7).

**Partition coefficient: n-octanol/water(log Pow):** 6.78 estimated

**Naphthalene**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 3.3 Measured

**Bioconcentration factor (BCF):** 40 - 300 Fish. 28 d Measured

**chlorpyrifos (ISO)**

**Bioaccumulation:** Bioconcentration potential is moderate (BCF between 100 and 3000 or Log Pow between 3 and 5).

**Partition coefficient: n-octanol/water(log Pow):** 4.7 at 20 °C Estimated.

**12.4 Mobility in soil**

**chlorpyrifos-methyl**

Potential for mobility in soil is low (Koc between 500 and 2000).

**Partition coefficient(Koc):** 1189 - 8100

**Hydrocarbons, C10-C13, aromatics, <1% naphthalene**

No relevant data found.

**Hydrocarbons, C10, aromatics, <1% naphthalene**

No relevant data found.

**Benzenesulfonic acid, dodecyl-, calcium salt**

No relevant data found.

**Naphthalene**

Potential for mobility in soil is medium (Koc between 150 and 500).

**Partition coefficient(Koc):** 240 - 1300 Measured

**chlorpyrifos (ISO)**

Expected to be relatively immobile in soil (Koc > 5000).

**Partition coefficient(Koc):** 8151

**12.5 Results of PBT and vPvB assessment**

**chlorpyrifos-methyl**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Hydrocarbons, C10-C13, aromatics, <1% naphthalene**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Hydrocarbons, C10, aromatics, <1% naphthalene**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

**Benzenesulfonic acid, dodecyl-, calcium salt**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**Naphthalene**

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

**chlorpyrifos (ISO)**

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

## 12.6 Other adverse effects

### chlorpyrifos-methyl

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### Hydrocarbons, C10-C13, aromatics, <1% naphthalene

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### Hydrocarbons, C10, aromatics, <1% naphthalene

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### Benzenesulfonic acid, dodecyl-, calcium salt

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### Naphthalene

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

### chlorpyrifos (ISO)

This substance is not in Annex I of Regulation (EC) No 1005/2009 on substances that deplete the ozone layer.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

---

### 13.1 Waste treatment methods

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

---

## SECTION 14. TRANSPORT INFORMATION

---

### Classification for ROAD and Rail transport (ADR/RID):

- |                           |  |
|---------------------------|--|
| 14.1 UN number            | UN 3082  |
| 14.2 Proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Chlorpyrifos-Methyl) |

14.3	Class	9
14.4	Packing group	III
14.5	Environmental hazards	Chlorpyrifos-Methyl
14.6	Special precautions for user	Hazard identification No: 90

**Classification for SEA transport (IMO-IMDG):**

14.1	UN number	UN 3082
14.2	Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.(Chlorpyrifos-Methyl)
14.3	Class	9
14.4	Packing group	III
14.5	Environmental hazards	Chlorpyrifos-Methyl
14.6	Special precautions for user	EmS: F-A, S-F
14.7	Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code	Consult IMO regulations before transporting ocean bulk

**Classification for AIR transport (IATA/ICAO):**

14.1	UN number	UN 3082
14.2	Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.(Chlorpyrifos-Methyl)
14.3	Class	9
14.4	Packing group	III
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.



---

## SECTION 15. REGULATORY INFORMATION

---

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### REACH Regulation (EC) No 1907/2006

This product contains only components that have been either pre-registered, registered, are exempt from registration or are regarded as registered according to Regulation (EC) No. 1907/2006 (REACH). The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

#### Other regulations

Registration Number: PCS NO. 03623

### 15.2 Chemical Safety Assessment

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

---

## SECTION 16. OTHER INFORMATION

---

### Full text of H-Statements referred to under sections 2 and 3.

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Full text of R-phrases referred to under sections 2 and 3

R22	Harmful if swallowed.
R25	Toxic if swallowed.
R38	Irritating to skin.
R40	Limited evidence of a carcinogenic effect.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50	Very toxic to aquatic organisms.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the

	aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R53	May cause long-term adverse effects in the aquatic environment.
R65	Harmful: may cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008**

Skin Irrit. - 2 - H315 - On basis of test data.  
Skin Sens. - 1 - H317 - Calculation method  
STOT SE - 3 - H336 - Calculation method  
Asp. Tox. - 1 - H304 - Calculation method  
Aquatic Acute - 1 - H400 - On basis of test data.  
Aquatic Chronic - 1 - H410 - Calculation method

**Revision**

Identification Number: 101223394 / A293 / Issue Date: 09.03.2015 / Version: 5.1

DAS Code: GF-1684

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

**Legend**

91/322/EEC	Europe. Commission Directive 91/322/EEC on establishing indicative limit values
Absorbed via skin	Absorbed via skin
ACGIH	USA. ACGIH Threshold Limit Values (TLV)
Dow IHG	Dow Industrial Hygiene Guideline
IE OEL	Ireland. List of Chemical Agents and Occupational Exposure Limit Values - Schedule 1
OELV - 15 min (STEL)	Occupational exposure limit value (15-minute reference period)
OELV - 8 hrs (TWA)	Occupational exposure limit value (8-hour reference period)
SKIN, BEI	Absorbed via Skin, Biological Exposure Indice
STEL	Short term exposure limit
TWA	Time weighted average

**Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

DOW AGROSCIENCES LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here

pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.