

SILWET L-77

Page: 1

Compilation date: 06/05/2011

Revision date: 14/04/15

Section 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		I
Product name:	SILWET L-77	
CAS number:	27306-78-1	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	I
Use of substance / mixture:	Adjuvant	
1.3. Details of the supplier of the	-	I
Company name:	-	
	Hillside Mill	
	Quarry Lane Swaffham Bulbeck	
	Cambridge CB25 0LU	
Tol	United Kingdom +44 (0) 1223 811215	
	+44 (0) 1223 81020	
	msds@desangosse.co.uk	
1.4. Emergency telephone num		I
	Outside Office Hours: 01638 577581 or 01485 544230	_
Section 2: Hazards identificati	on	
2.1. Classification of the substa	ance or mixture	
Classification under CLP:	Acute Tox. 4: H332; Aquatic Chronic 2: H411; Eye Irrit. 2: H319	
Most important adverse effects:	Harmful if inhaled. Causes serious eye irritation. Toxic to aquatic life with long lasting	
	effects.	
2.2. Label elements		I
Label elements:		
Hazard statements:	H332: Harmful if inhaled.	
	H319: Causes serious eye irritation.	
	H411: Toxic to aquatic life with long lasting effects.	
Signal words:	Warning	
Hazard pictograms:	GHS07: Exclamation mark	
	GHS09: Environmental	

SILWET L-77

Precautionary statements: P260: Do not breathe spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection.
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312: Call a POISON CENTER/doctor/immediately/if you feel unwell.
P337+313: If eye irritation persists: Get medical advice/attention.
P501: Dispose of contents/container to approved contractor. Treat as Hazardous waste.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

POLYALKYLENEOXIDE MODIFIED HEPTAMETHYLTRISILOXANE (CAPPED)

EINECS	CAS	PBT / WEL	CLP Classification	Percent
-	27306-78-1	-	Acute Tox. 4: H332; Aquatic Chronic 2:	70-90%
			H411; Eye Irrit. 2: H319	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

SILWET L-77

Page: 3

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eves.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

Do not handle in a confined space.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

SILWET L-77

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.
Respiratory protection:	Gas/vapour filter, type E: sulphur dioxide and other acid gases (EN141).
Hand protection:	Protective gloves.
Eye protection:	Face-shield. Ensure eye bath is to hand.
Skin protection:	Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid	
Colour:	Pale yellow	
Odour:	Characteristic odour	
Evaporation rate:	Negligible	
Oxidising:	No data available.	
Solubility in water:	Miscible in all proportions	
Viscosity:	Viscous	
Boiling point/range°C:	> 150 Melting point/range°C:	- 1
Flammability limits %: lower:	Not applicable. upper:	Not applicable.
Flash point°C:	116Part.coeff. n-octanol/water:	POW: > 1.951
Autoflammability°C:	No data available. Vapour pressure:	< 1.33 hPa @ 20
Relative density:	1.007 pH :	6.0 - 8.0
VOC g/l:	No data available.	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

SILWET L-77

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong acids. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values:

Route	Species	Test	Value	Units
DERMAL	RAT	LD50	> 2000	mg/kg
ORAL	RAT	LD50	> 2000	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

 Skin contact:
 There may be irritation and redness at the site of contact.

 Eye contact:
 There may be irritation and redness. The eyes may water profusely.

 Ingestion:
 There may be soreness and redness of the mouth and throat.

 Inhalation:
 There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values:

Species	Test	Value	Units
DAPHNIA	48H EC50	37	mg/l

SILWET L-77

Page: 6

ZEBRAFISH (Brachydanio rerio)	96H LC50	2.75	mg/l
ZEBRAFISH (Brachydanio rerio)	NOEC	0.56	mg/l
BLUEGILL (Lepomis macrochirus)	96H LC50	6	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	5.5	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal	
	company.	
Recovery operations:	Not applicable.	
Waste code number:	-	
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.	
NB:	The user's attention is drawn to the possible existence of regional or national	
	regulations regarding disposal.	

Section 14: Transport information

14.1. UN number

UN number: UN3082

14.2. UN proper shipping name

Shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(POLYALKYLENEOXIDE MODIFIED HEPTAMETHYLTRISILOXANE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: III

SILWET L-77

Page: 7

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No	
	453/2010.	
	* indicates text in the SDS which has changed since the last revision.	
Phrases used in s.2 and s.3:	H319: Causes serious eye irritation.	
	H332: Harmful if inhaled.	
	H411: Toxic to aquatic life with long lasting effects.	
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive	
	and shall be used only as a guide. This company shall not be held liable for any	
	damage resulting from handling or from contact with the above product.	