

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : FLORAMITE® 240 SC

Product code : 400000003977

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Use of the Sub-stance/Mixture : Plant protection agent, Miticide

Recommended restrictions on use : Agriculture, For professional users only.

**1.3 Details of the supplier of the safety data sheet****Details of the supplier of the safety data sheet**

Company: Arysta LifeScience Great Britain Ltd.  
Brooklands Farm, Cheltenham Road  
Evesham, Worcestershire  
United Kingdom  
WR11 2LS  
Telephone : +44 1386 425500

Prepared by sds.request@arysta.com

Further information for the safety data sheet :  
sds.request@arysta.com

**1.4 Emergency telephone number**

Emergency telephone number: +44 (0) 1235 239 670 (NCEC)  
For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

---

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Skin sensitisation, Category 1      H317: May cause an allergic skin reaction.

## FLORAMITE® 240 SC

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure.

Chronic aquatic toxicity, Category 2

H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves.  
**Response:**  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

Hazardous components which must be listed on the label:

Bifenazate

1,2-benzisothiazol-3(2H)-one

Supplemental Hazard Statements : EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
 Language: EN

Chemical nature : Bifenazate 240 g/L

**Hazardous components**

Chemical Name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Bifenazate	149877-41-8 442-820-5	Skin Sens. 1; H317 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	22.6

For explanation of abbreviations see section 16.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- If inhaled : Move to fresh air.  
Obtain medical attention.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with warm water and soap.  
If symptoms persist, call a physician.
- In case of eye contact : Rinse thoroughly with plenty of water for at least 15 minutes  
and consult a physician.  
If symptoms persist, call a physician.
- If swallowed : Do NOT induce vomiting.  
Rinse mouth with water.  
Obtain medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

- Symptoms : irritant effects  
sensitising effects  
Symptoms may be delayed.
- Risks : May cause an allergic skin reaction.  
May cause damage to organs through prolonged or repeated exposure.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Treatment : The first aid procedure should be established in consultation  
with the doctor responsible for industrial medicine.

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Suitable extinguishing media : Extinguishing media - large fires  
Alcohol-resistant foam  
(on small fires)

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : Water spray jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during fire-fighting : No information available.

**5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Complete suit protecting against chemicals Full protective flameproof clothing

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Wear suitable protective equipment. Avoid contact with skin and eyes.

**6.2 Environmental precautions**

Environmental precautions : Do not allow material to contaminate ground water system.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Dam up. Large spills should be collected mechanically (remove by pumping) for disposal.

**6.4 Reference to other sections**

For personal protection see section 8.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes. Use only in area provided with appropriate exhaust ventilation. Wash thoroughly after handling.

Hygiene measures : Ensure adequate ventilation, especially in confined areas. Remove and wash contaminated clothing before re-use. Han-

---

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Use in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product.

**7.2 Conditions for safe storage, including any incompatibilities**

Requirements for storage areas and containers : Keep in a dry, cool place.

Other data : Stable under recommended storage conditions. Stable at normal ambient temperature and pressure.

**7.3 Specific end use(s)**

Specific use(s) : Plant protection agent

---

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

Contains no substances with occupational exposure limit values.

**8.2 Exposure controls****Engineering measures**

effective ventilation in all processing areas  
Ensure that eyewash stations and safety showers are close to the workstation location.

**Personal protective equipment**

Eye protection : Safety glasses with side-shields

Hand protection  
Remarks : Impervious gloves

Skin and body protection : Impervious clothing

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

---

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance : liquid

Colour : off-white, to, tan

Odour : slight, sweet

Odour Threshold : No data available

pH : 5 - 9

Melting point/range : Not applicable

Boiling point/boiling range : > 100 °C

---

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Flash point : > 104 °C

Evaporation rate : No data available

Upper explosion limit : Not explosive

Lower explosion limit : Not explosive

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : 1.050 - 1.070 (25 °C)

Density : > 1 g/cm<sup>3</sup>

Solubility(ies)

    Water solubility : dispersible

    Solubility in other solvents : Description: miscible with most organic solvents

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : > 399 °C

Decomposition temperature : No data available

Viscosity

    Viscosity, dynamic : 300 - 700 mPa.s (20 °C)

    Viscosity, kinematic : No data available

Explosive properties : Not explosive

**9.2 Other information**

Self-Accelerating decomposition temperature (SADT) : Method: No information available.

Surface tension : 42.1 mN/m, 25 °C

Oxidizing potential : The substance or mixture is not classified as oxidizing.

---

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Hazardous reactions : Hazardous polymerisation does not occur.

**10.4 Conditions to avoid**

Conditions to avoid : Extremes of temperature and direct sunlight.

**10.5 Incompatible materials**

Materials to avoid : Oxidizing agents

**10.6 Hazardous decomposition products**

Burning produces noxious and toxic fumes.

---

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****Acute toxicity****Product:**

Acute oral toxicity : LD50 (Rat, male): > 5,000 mg/kg  
GLP: yes

LD50 (Rat, female): > 2,000 mg/kg  
GLP: yes

Acute inhalation toxicity : LC50 (Rat): > 1.94 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg  
GLP: yes

**Components:****Bifenazate:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

LD50 (Mouse, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
GLP: yes

Acute inhalation toxicity : LC50 (Rat, male and female): > 4.4 mg/l

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
GLP: yes  
Assessment: The substance or mixture has no acute inhalation toxicity  
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
GLP: yes

**Skin corrosion/irritation****Product:**

Species: Rabbit  
Result: No skin irritation  
GLP: yes

**Components:****Bifenazate:**

Species: Rabbit  
Exposure time: 4 h  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: No skin irritation  
GLP: yes

**Serious eye damage/eye irritation****Product:**

Species: Rabbit  
Result: No eye irritation  
GLP: yes

**Components:****Bifenazate:**

Species: Rabbit  
Exposure time: 48 h  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation  
GLP: yes

**Respiratory or skin sensitisation****Product:**

Species: Guinea pig  
Assessment: May cause sensitisation by skin contact.



**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

GLP: yes

**Components:****Bifenazate:**

Test Type: Maximisation Test (GPMT)  
Species: Guinea pig  
Assessment: May cause sensitisation by skin contact.  
Method: OECD Test Guideline 406  
GLP: yes

**Germ cell mutagenicity****Product:**

Germ cell mutagenicity- Assessment : Not classified due to lack of data.

**Components:****Bifenazate:**

Genotoxicity in vitro : Test Type: Ames test  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

: Test Type: In Vitro mammalian Cell Gene Mutation Test  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

: Test Type: Chromosome aberration test in vitro  
Metabolic activation: with and without metabolic activation  
Result: negative  
GLP: yes

Genotoxicity in vivo : Test Type: In vivo micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Exposure time: 24 h  
Dose: 0, 96, 192, 384 mg/kg  
Result: negative  
GLP: yes

Germ cell mutagenicity- Assessment : Animal testing did not show any mutagenic effects.

**Carcinogenicity****Product:**

Carcinogenicity - Assessment : Not classified due to lack of data.

**Components:**

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

**Bifenazate:**

Species: Rat, (male)  
Application Route: Oral  
Exposure time: 104 weeks  
Dose: 0, 1.0, 3.9, 9.7 mg/kg bw/d  
NOAEL: 1.0 mg/kg bw/day  
LOAEL: 3.9 mg/kg body weight  
Method: OECD 453  
Target Organs: spleen, Blood  
GLP: yes

Species: Rat, (female)  
Application Route: Oral  
Exposure time: 104 weeks  
Dose: 0, 1.2, 4.8, 9.7 mg/kg bw/d  
NOAEL: 1.2 mg/kg bw/day  
LOAEL: 3.9 mg/kg body weight  
Method: OECD 453  
GLP: yes

Species: Mouse, (male)  
Application Route: Oral  
Exposure time: 78 weeks  
Dose: 0, 1.5, 15.4, 35.1 mg/kg bw/d  
NOAEL: 1.5 mg/kg bw/day  
LOAEL: 15.4 mg/kg body weight  
Method: OECD Test Guideline 451  
GLP: yes

Species: Mouse, (female)  
Application Route: Oral  
Exposure time: 78 weeks  
Dose: 0, 1.9, 19.7, 35.7 mg/kg bw/d  
NOAEL: 1.9 mg/kg bw/day  
LOAEL: 15.4 mg/kg body weight  
Method: OECD Test Guideline 451  
GLP: yes

Carcinogenicity - Assessment : Animal testing did not show any carcinogenic effects.

**Reproductive toxicity****Product:**

Reproductive toxicity - Assessment : Not classified due to lack of data.

**Components:****Bifenazate:**

Effects on fertility : Test Type: Two-generation study  
Species: Rat  
Application Route: Oral

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Fertility: NOEL: > 15 mg/kg bw/day  
Early Embryonic Development: No observed adverse effect level: > 15 mg/kg bw/day  
GLP: yes

Effects on foetal development : Species: Rat, female  
Application Route: Oral  
Dose: 0, 10, 100, 500 mg/kg bw/d  
General Toxicity Maternal: 10 mg/kg bw/day  
Teratogenicity: No observed adverse effect level: > 500 mg/kg bw/day  
Method: OECD Test Guideline 414

Species: Rabbit, female  
Application Route: Oral  
Dose: 0, 10, 50, 200 mg/kg bw/d  
General Toxicity Maternal: > 15 mg/kg bw/day  
Teratogenicity: No observed adverse effect level: > 200 mg/kg bw/day  
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : No toxicity to reproduction  
No effects on or via lactation

**STOT - single exposure****Product:**

Assessment: Based on available data, the classification criteria are not met.

**Components:****Bifenazate:**

Assessment: Based on available data, the classification criteria are not met.

**STOT - repeated exposure****Product:**

Assessment: Based on available data, the classification criteria are not met.

**Components:****Bifenazate:**

Assessment: Based on available data, the classification criteria are not met.

**Repeated dose toxicity****Components:****Bifenazate:**

Species: Rat, male and female  
NOAEL: < 33.3 mg/kg  
LOAEL: 33.3 mg/kg  
Application Route: Oral  
Exposure time: 28 d

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

Method: OECD Test Guideline 407  
GLP: yes  
Target Organs: Liver, spleen, thymus gland, lymph node, Bone marrow

Species: Dog, male and female  
NOAEL: 1 mg/kg  
LOAEL: 8.9 mg/kg  
Application Route: Oral  
Exposure time: 1 y  
Method: OECD Test Guideline 452  
GLP: yes  
Target Organs: Liver, Blood, Kidney

Species: Mouse, male and female  
NOAEL: < 33.9 mg/kg  
LOAEL: 33.9 mg/kg  
Application Route: Oral  
Exposure time: 28 d  
Method: OECD Test Guideline 407  
GLP: yes  
Target Organs: Liver, spleen, thymus gland, lymph node, Bone marrow

Species: Rat, male and female  
LOAEL: 400 mg/kg  
Application Route: Dermal  
Exposure time: 21 - Days  
Method: OECD Test Guideline 410  
GLP: yes  
Target Organs: spleen, Blood

Species: Rat, male  
LOAEL: 34.6 mg/kg  
Application Route: Oral  
Exposure time: 2 - week  
GLP: yes  
Remarks: No significant adverse effects were reported

Species: Rat, female  
LOAEL: 46.7 mg/kg  
Application Route: Oral  
Exposure time: 2 - week  
GLP: yes  
Remarks: No significant adverse effects were reported

Species: Rat, male and female  
NOAEL: 2.7 mg/kg  
LOAEL: 13.8 mg/kg  
Application Route: Oral  
Exposure time: 90-day  
Method: OECD Test Guideline 408  
GLP: yes  
Target Organs: Liver, Kidney, spleen, Adrenal gland

Species: Mouse, male

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

NOAEL: 8 mg/l  
LOAEL: 16.2 mg/kg  
Application Route: Oral  
Exposure time: 90-day  
Method: OECD Test Guideline 408  
GLP: yes  
Target Organs: spleen

Species: Mouse, female  
NOAEL: 10.3 mg/l  
LOAEL: 16.2 mg/kg  
Application Route: Oral  
Exposure time: 90-day  
Method: OECD Test Guideline 408  
GLP: yes  
Target Organs: spleen

Species: Dog  
NOAEL: 0.9 mg/l  
LOAEL: 10.4 mg/kg  
Application Route: Oral  
Exposure time: 90-day  
Method: OECD Test Guideline 408  
GLP: yes  
Target Organs: Blood, Liver, Urinary system

Species: Rat  
30 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 4 - week  
GLP: yes  
Target Organs: Nasal inner lining, spleen

Species: Rat  
> 0.2 mg/l  
Application Route: inhalation (dust/mist/fume)  
Exposure time: 5 - Day  
GLP: no  
Target Organs: Liver, thymus, spleen, Kidney, Nasal inner lining

Species: Mouse, female  
LOAEL: ca.200 ppm (average dose level ~50 mg/kg/day)  
Application Route: Oral  
Exposure time: 28 d  
Target Organs: spleen, thymus  
Remarks: Bifenazate is not immunotoxic in this study at diet admixture concentrations up to 200 ppm.

**Experience with human exposure****Components:****Bifenazate:**

General Information : Remarks: No significant exposure of the general population is anticipated from the manufacture and normal agricultural use

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

of bifenazate. No epidemiological studies have been carried out or are considered necessary. -- (DAR ANNEX IIA 5.9)

**Neurological effects****Components:****Bifenazate:**

Remarks: In a 90-day oral toxicity study in rats (Trutter 1997c, see study 1 in section B.6.3.4), a battery of behavioural tests and observations (FOB) was performed after 7 weeks feeding and at the end of the study. No treatment related findings were observed for these FOBs. --(DAR ANNEX IIA 5.7)

**Further information****Components:****Bifenazate:**

Remarks: No cases of toxicity or poisoning incidents have been reported during manufacture, formulation, efficacy testing or normal horticultural/agricultural use of bifenazate. There are no known report from the open literature, relating to clinical cases and poisoning incidents with bifenazate. --(DAR ANNEX IIA 5.9)

---

**SECTION 12: Ecological information****12.1 Toxicity****Product:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.4 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h
- Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.3 mg/l  
Exposure time: 72 h

**Components:****Bifenazate:**

- Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.58 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes
- LC50 (Oncorhynchus mykiss (rainbow trout)): 0.044 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes
-

## FLORAMITE® 240 SC

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

GLP: yes

LC50 (Oncorhynchus mykiss (rainbow trout)): 0.21 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
Analytical monitoring: yes  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.5 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
GLP: yes

LC50 (Crassostrea virginica): 0.42 mg/l  
Exposure time: 96 h  
Test Type: flow-through test  
GLP: yes

EC50 (Daphnia magna (Water flea)): 0.051 mg/l  
Exposure time: 48 h  
Test Type: flow-through test  
Analytical monitoring: yes  
GLP: yes

EC50 (Daphnia magna (Water flea)): 0.78 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Analytical monitoring: yes  
GLP: yes

Toxicity to algae : IC50 (Lemna gibba (gibbous duckweed)): > 3.82 mg/l  
Exposure time: 7 d  
Analytical monitoring: yes  
GLP: yes

NOEC (Lemna gibba (gibbous duckweed)): > 3.82 mg/l  
Exposure time: 7 d  
Analytical monitoring: yes  
GLP: yes

NOEC (Selenastrum capricornutum (green algae)): 0.25 mg/l  
Exposure time: 96 h  
GLP: yes

ErC50 (Selenastrum capricornutum (green algae)): > 2.02 mg/l  
Exposure time: 96 h  
GLP: yes

EbC50 (Selenastrum capricornutum (green algae)): 0.9 mg/l  
Exposure time: 96 h  
GLP: yes

NOEC (Navicula pelliculosa): 0.52 mg/l

## FLORAMITE® 240 SC

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
 Language: EN

Exposure time: 96 h  
 GLP: yes

EbC50 (*Navicula pelliculosa*): 0.82 mg/l  
 Exposure time: 96 h  
 GLP: yes

ErC50 (*Navicula pelliculosa*): 1.4 mg/l  
 Exposure time: 96 h  
 GLP: yes

NOEC(b) (*Anabaena flos-aquae* (cyanobacterium)): 0.53 mg/l  
 Exposure time: 96 h  
 GLP: yes

NOEC(r) (*Anabaena flos-aquae* (cyanobacterium)): 1.13 mg/l  
 Exposure time: 96 h  
 GLP: yes

EbC50 (*Anabaena flos-aquae* (cyanobacterium)): 1.8 mg/l  
 Exposure time: 96 h  
 GLP: yes

ErC50 (*Anabaena flos-aquae* (cyanobacterium)): > 4.48 mg/l  
 Exposure time: 96 h  
 GLP: yes

NOEC (*Skeletonema costatum* (marine diatom)): 0.2 mg/l  
 Exposure time: 96 h  
 GLP: yes

EbC50 (*Skeletonema costatum* (marine diatom)): 0.3 mg/l  
 Exposure time: 96 h  
 GLP: yes

ErC50 (*Skeletonema costatum* (marine diatom)): 0.36 mg/l  
 Exposure time: 96 h  
 GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.017 mg/l  
 Exposure time: 87 d  
 Species: *Oncorhynchus mykiss* (rainbow trout)  
 Test Type: flow-through test  
 Analytical monitoring: yes  
 GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.15 mg/l  
 Exposure time: 21 d  
 Species: *Daphnia magna* (Water flea)  
 Analytical monitoring: yes  
 GLP: yes



**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to soil dwelling organisms : NOEC: 35.98 mg/kg  
Exposure time: 28 d  
Species: Eisenia fetida (earthworms)  
GLP:yes

Plant toxicity : > 3.82 mg/kg  
Test period: 7 d

Toxicity to terrestrial organisms : LD50: > 16.9 mg/kg  
Species: Anas platyrhynchos (Mallard duck)  
GLP:yes

LD50: > 18.3 mg/kg  
Species: Anas platyrhynchos (Mallard duck)

**12.2 Persistence and degradability****Product:**

Biodegradability : Result: Not readily biodegradable.  
Remarks: Not readily biodegradable.

**Components:****Bifenazate:**

Biodegradability : Result: According to the results of tests of biodegradability this product is not readily biodegradable.  
Remarks: Not readily biodegradable.

**12.3 Bioaccumulative potential****Components:****Bifenazate:**

Partition coefficient: n-octanol/water : log Pow: 3.4 (25 °C)

**12.4 Mobility in soil****Product:**

Mobility : Remarks: No data available

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

**12.6 Other adverse effects****Product:**

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

---

**SECTION 14: Transport information****14.1 UN number**

ADN : UN 3082  
ADR : UN 3082  
RID : UN 3082  
IMDG : UN 3082  
IATA : UN 3082

**14.2 UN proper shipping name**

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Bifenazate)

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Bifenazate)

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Bifenazate)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Bifenazate)

IATA : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., Environmentally hazardous substance, liquid, n.o.s.  
(Bifenazate)

**14.3 Transport hazard class(es)**

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

---

**ADN** : 9  
**ADR** : 9  
**RID** : 9  
**IMDG** : 9  
**IATA** : 9

**14.4 Packing group**

**ADN**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**ADR**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (E)

**RID**  
Packing group : III  
Classification Code : M6  
Hazard Identification Number : 90  
Labels : 9

**IMDG**  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA**  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Packing instruction (LQ) : Y964  
Packing group : III  
Labels : Miscellaneous

**14.5 Environmental hazards**

**ADN**  
Environmentally hazardous : yes

**ADR**  
Environmentally hazardous : yes

**RID**  
Environmentally hazardous : yes

**IMDG**  
Marine pollutant : yes

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
 Language: EN

**14.6 Special precautions for user**

Not applicable

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
E2	ENVIRONMENTAL HAZARDS	200 t	500 t

Water contaminating class (Germany) : WGK 3 highly water endangering Classification according VwVwS, Annex 4.

**15.2 Chemical Safety Assessment**

No information available.

**SECTION 16: Other information****Full text of H-Statements**

H317 : May cause an allergic skin reaction.  
 H373 : May cause damage to organs through prolonged or repeated exposure.  
 H400 : Very toxic to aquatic life.  
 H410 : Very toxic to aquatic life with long lasting effects.

**Full text of other abbreviations**

Aquatic Acute : Acute aquatic toxicity  
 Aquatic Chronic : Chronic aquatic toxicity  
 Skin Sens. : Skin sensitisation  
 STOT RE : Specific target organ toxicity - repeated exposure

(Q)SAR - (Quantitative) Structure Activity Relationship; ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging

**FLORAMITE® 240 SC**

Version 4.6      Revision Date: 21.03.2016      MSDS Number: 400000003977      Country: GB  
Language: EN

Regulation; Regulation (EC) No 1272/2008; DIN - Standard of the German Institute for Standardisation; ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISO - International Organisation for Standardization; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TRGS - Technical Rule for Hazardous Substances; UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative; DSL - Domestic Substances List (Canada); KECI - Korea Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); AICS - Australian Inventory of Chemical Substances; IECSC - Inventory of Existing Chemical Substances in China; ENCS - Existing and New Chemical Substances (Japan); ISHL - Industrial Safety and Health Law (Japan); PICCS - Philippines Inventory of Chemicals and Chemical Substances; NZIoC - New Zealand Inventory of Chemicals; TCSI - Taiwan Chemical Substance Inventory; CMR - Carcinogen, Mutagen or Reproductive Toxicant; GLP - Good Laboratory Practice

**Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

**Carechem24 International Worldwide Coverage****Emergency Phone Number**

<u>Europe:</u>	All European Countries	+44 (0) 1235 239 670 (NCEC)
<u>Asia Pacific:</u>	East / South East Asia – Regional Number	+65 3158 1074
	Australia	+61 2801 44558
	New Zealand	+64 9929 1483
	China	+86 532 8388 9090
	China Taiwan	+86 10 5100 3039

## SAFETY DATA SHEET



## FLORAMITE® 240 SC

Version  
4.6Revision Date:  
21.03.2016MSDS Number:  
400000003977Country: GB  
Language: EN

	Japan	+81 345 789 341
	Indonesia	00780 3011 0293
	Malaysia	+60 3 6207 4347
	Thailand	001800 1 2066 6751
	Korea	+65 3158 1285 +82 (0)234 798 401
	Vietnam	+65 3158 1255
	India	+65 3158 1198 0800 100 7479
	Pakistan	+65 3158 1329
	Philippines	+65 31581203
	Sri Lanka	+65 3158 1195
	Emergency Phone Number	+65 3158 1200
<u>Middle East / Africa:</u>	Arabic speaking countries	+44 (0) 1235 239 671
	South Africa	+27 21 300 2732
	All other countries	+44 (0) 1235 239 670
<u>America</u>	United States of America and Canada	+1866 928 0789 +1 215 207 0061
<u>Latin America:</u>	Brazil	+55 11 3197 5891
	Mexico	+52 555 004 8763
	Chile	+56 225 829 336
	All other countries	+44 (0) 1235 239 670